

ELECTRADROP-E

ELECTRADROP-E-P

LOCINOX

Let's make it better together

LOCINOX

LOCINOX USA



LIVE CHAT



www.locinox.com

HQ: +32 56 77 27 66
CEE: +48 71 758 21 00

help@locinox.com

www.locinox.com/
electradrop-e



LIVE CHAT



www.locinoxusa.com

877-LOCINOX

helpusa@locinox.com


www.locinoxusa.com/
electradrop-e

ELECTRADROP-E


5 m (4x 0,5 mm²)
16' 4" (4x 24 ga)

ELECTRADROP-E-P


5 m (7x 0,5 mm²)
16' 4" (7x 24 ga)




QUICK-FIX



OPEN





CLOSED




≥40 mm
≥1-9/16"


Ø9/16"
Ø15mm



1




2



HEX
2.5mm

FAIL SAFE EXIT



pictures@locinox.com

SUCCESSFUL
INSTALLATION?
Please send us your
pictures & videos

SUCCEVOLLE
INSTALLATIE?
Stuur gerust uw foto's
& video's door

INSTALLATION
RÉUSSIE?
Veuillez nous envoyer
vos photos & vidéos

ERFOLGREICHE
INSTALLATION?
Bitte senden Sie uns
Ihre Bilder & Videos

INSTALACION
EXITOSA?
Por favor envíenos
sus fotos y videos

UDANA
INSTALACJA?
Prześlij nam swoje
zdjęcia i filmy

УСПЕШНАЯ
УСТАНОВКА?
Пожалуйста, отправьте нам
свой фотографии и видео

LOCINOX



Let's make it better together

Doc. Nr.: MANU-000461


Locinox NV • Brabantstraat 107 • 8790 Waregem • Belgium
Locinox CEE • Irysowa 9 • 55-040 Bielany Wrocławskie • Poland
Locinox LLC • 460 Windy Point Drive • Glendale Heights - IL 60139 • USA




MANU-000461



POSITION OUTPUT




ELECTRADROP-E CONTINUOUS SIGNAL



ELECTRADROP-E PULSE SIGNAL

FREQUENCY=0.25-5HZ
(PULS WIDTH >100mS)



ELECTRADROP-R

ELECTRADROP-R-P



Let's make it better together

ELECTRADROP-R

5 m (4x 0,5 mm²)
16' 4" (4x 24 ga)

ELECTRADROP-R-P

5 m (7x 0,5 mm²)
16' 4" (7x 24 ga)

CE FC

QUICK-FIX

OPEN

CLOSED

LOCINOX	LOCINOX USA
LIVE CHAT	LIVE CHAT
www.locinox.com	www.locinoxusa.com
HQ: +32 56 77 27 66 CEE: +48 71 758 21 00	877- LOCINOX
help@locinox.com	helpusa@locinox.com
www.locinox.com/electradrop-r	www.locinoxusa.com/electradrop-r

≥40 mm
≥1-9/16"





Ø15 mm
Ø9/16"

540 mm
21-1/4"

20 mm
13/16"

Min. 20 mm
Min. 13/16"

Ø9/16"
Ø15mm





<p>pictures@locinox.com</p>	<p>SUCCESSFUL INSTALLATION? Please send us your pictures & videos</p>	<p>SUCCESVOLLE INSTALLATIE? Stuur gerust uw foto's & video's door</p>	<p>INSTALLATION RÉUSSIE? Veuillez nous envoyer vos photos & vidéos</p>	<p>ERFOLGREICHE INSTALLATION? Bitte senden Sie uns Ihre Bilder & Videos</p>	<p>INSTALACION EXITOSA? Por favor envíenos sus fotos y videos</p>	<p>UDANA INSTALACJA? Prześlij nam swoje zdjęcia i filmy</p>	<p>УСПЕШНАЯ УСТАНОВКА? Пожалуйста, отправьте нам свой фотографии и видео</p>
---	--	--	---	--	--	--	---

LOCINOX[®]
Let's make it better together


Doc. Nr.: MANU-000464

Locinox NV • Brabantstraat 107 • 8790 Waregem • Belgium
 Locinox CEE • Irysowa 9 • 55-040 Bielany Wrocławskie • Poland
 Locinox LLC • 460 Windy Point Drive • Glendale Heights - IL 60139 • USA


MANU-000464



POSITION OUTPUT



ELECTRADROP-R CONTINUOUS SIGNAL



ELECTRADROP-R PULSE SIGNAL

FREQUENCY=0.25-5HZ
(PULS WIDTH >100mS)

